

# KRHAM

## Micropilling consumables for drilling



**Ring Bits**

2 - 4



**Bits**

5 - 6



**3-wing bits**

7 - 8



**Self-drilling bits**












9














**4-wing bits with buttons**

10













# Ring bits

Ring bits	Diameter (D)	Pipe Diameter (E)	Internal Diameter (I)	Ordering Number
				
	95	88.9	62	708809504
	100	88.9	64	708810004
	105	88.9	64	708810504
	107	101.4	74	710110704
	115	101.4	75	710111504
	120	101.4	75	710112004
	115	108	82	710811504
	120	108	82	710812004
	125	108	82	710812505
	120	114.3	88	711412005
	125	114.3	88	711412506
	130	114.3	88	711413005
	140	133	108	713314007
	145	133	108	713314505
	150	133	108	713315005
	160	152.4	128	715216007
	165	152.4	128	715216501
	170	152.4	128	715217005
	175	152.4	128	715217503
	185	177.8	148	717718506
	190	177.8	148	717719005
	195	177.8	148	717719504
	210	203	172.5	720321001
	215	203	172.5	720321501
	220	203	172.5	720322001
	230	219	189	721923004
	240	219	189	721924001
	260	250	225	725026001
	265	250	225	725026501








# Ring bits

Ring bit with TC-Plates	Diameter (D)	Pipe Diameter (E)	Internal Diameter (I)	Ordering Number
				
	95	88.9	62	708809503
	100	88.9	64	708810003
	105	88.9	64	708810503
	107	101.4	74	710110703
	115	101.4	75	710111503
	120	101.4	75	710112003
	115	108	82	710811503
	120	108	82	710812003
	125	108	82	710812504
	120	114.3	88	711412004
	125	114.3	88	711412505
	130	114.3	88	711413004
	140	133	108	713314005
	145	133	108	713314504
	150	133	108	713315004
	160	152.4	128	715216005
	170	152.4	128	715217003
	175	152.4	128	715217502
	185	177.8	148	717718504
	190	177.8	148	717719004
	195	177.8	148	717719503
	210	203	172.5	720321003
	215	203	172.5	720321502
	220	203	172.5	720322003
	230	219	189	721923003
	240	219	189	721924002
	260	250	225	725026002
	265	250	225	725026502




# Ring bits

Ring bits with Octagonal TC	Diameter (D)	Pipe Diameter (E)	Internal Diameter (I)	Ordering Number
				
	107	101.4	74	710110701
	115	108	82	710811504
	120	108	82	710812004
	125	108	82	710812505
	120	114.3	88	711412001
	130	114.3	88	711413002
	140	133	108	713314006
	160	152.4	128	75216006
	185	177.8	148	717718505
	210	203	172.55	720321002
	230	220	192	722023002




# Bits

Bits	Diameter (D)		Pipe Diameter (E)	Ordering Number
	<b>Cross button bit</b>			
	76	-	63	306307601
	85	-	76.1	307608501
	100	-	88.9	309010001
	105	-	88.9	309010503
	160	-	88.9	309016001
	115	-	101.6	310111501
	120	-	101.6	310112001
	125	-	101.6	310112503
	133	-	101.6	310113301
	140	-	101.6	310114002
	150	-	101.6	310115001
	180	-	101.6	310118001
	125	-	114	311412501
	140	-	114	311414001
	150	-	114	311415002
	180	-	114	311418001
	140	-	133	313314003
	150	-	133	313315002
	165	-	133	313316501
	185	-	133	313318501
	200	-	133	313320001
	160	-	152	31526001
	180	-	152	31528001
	185	-	152	315218501
	200	-	152	315220001
	215	-	152	315221501
	220	-	152	31522200
	215	-	177	317721501



# Bits

Bits	Diameter (D)		Pipe Diameter (E)	Ordering Number
	<b>Flat bits</b>			
	70	-	63	306307003
	105	-	88.9	309010502
	125	-	101.6	310112503
	140	-	101.6	310114002
	140	-	114.3	311414001
	185	-	133	313318501
	200	-	152	315220001
	215	-	177	317721501
	<b>Concave bit</b>			
	125	-	101,6	310112513
	140	-	114	311414013
	160	-	152	315216013
	<b>Bit</b>			
	60	R - 32	-	33206002
	70	T - 38	-	33807005
	70	T - 45	-	34507004
	78	T - 45	-	34507801
	85	T - 45	-	34508501


# 3-wing bits

3-wing Bits	Diameter (D)		Pipe Diameter (E)	Ordering Number
	<b>3-wing bit with buttons</b>			
	85	-	63,5	306308501
	85	-	76	307608502
	105	-	88,9	309010506
	125	-	101	310112507
	140	-	101	310114007
	150	-	114	311415001
	200	-	152	315220002
	<b>3-wing bit sep with TC-plates</b>			
	130	-	76	307613012
	100	-	88,9	309010012
	105	-	88,9	309010512
	125	-	101	310112512
	133	-	101	310113312
	140	-	101	310114012
	150	-	101	310115012
	180	-	101	310118012
	150	-	114	311415012
	185	-	133	313318512
	180	-	152	315218012
	225	-	152	315222512



# 3-wing bits

3-wing bits	Diameter (D)		Pipe Diameter (E)	Ordering Number
	<b>3-wing bits with TC-plates</b>			
	105	-	88,9	309010514
	120	-	88,9	309012014
	125	-	88,9	309012514
	120	-	101	310112014
	125	-	101	310112514
	140	-	101	310114014
	150	-	101	310115014
	130	-	114	311413014
	140	-	114	311414014
	150	-	114	311415014
	140	-	133	313314014
	150	-	133	313315014

# Self-drilling bits

Bits	Diameter (D)	Pipe Diameter (E)	Ordering Number
	<b>Self-drilling bits with TC-buttons</b>		
	51	30/11	303005001
	70	40/16	304007002
	90	40/16	304009001
	115	40/16	304011501
	110	52/26	3052011001
	110	73/53	307311001
	130	73/53	307311001
	145	73/53	307313001
	150	73/53	307315001

# 4-wing bits

4-wing bits	Diameter (D)	Pipe Diameter (E)		Ordering Number
	<b>Self-drilling bits kind 1</b>			
	110	R-38	-	63811001
	115	R-38	-	63811501
	150	R-38	-	63815002
	110	R-51	-	65111001
	115	R-51	-	65111501
	150	R-51	-	65115001
	180	R-51	-	65118001
	200	R-51	-	65120001
	175	T-76	-	607617501
	200	T-76	-	607620001
	280	T-76	-	607628001
	<b>Self-drilling bits kind 2</b>			
	145	-	76	607614501
	130	-	76	607613001
	200	-	127	612720001